YUMUQ GROUP

Expert in Luxury

Space Solution

Luxury Resort Tent

2026

CATALOGUE

SHANDONG YUMUQ INTEGRATED HOUSE CO., LTD.


ADDRESS: #106 Qingdao Middle Road, Weihai, 264205, China

WEBSITE: www.yumuqgroup.com

COMPANY PROFILE

YUMUQ GROUP

ONE-STOP BRANDING PARTNER FOR OUTDOOR CAMPGROUND





— EXPORT STRENGTH —

Up to 120 exporting countries boosting world trade and economic.



5000+

Landed Projects 5000+

200+

National Patent 200+

120+

Experted To 120+ Countries

50+

R&D Team Of 50+ People



















SCENARIOS & CASES | Luxuary Resort Tent

































SCENARIOS & CASES | Luxuary Resort Tent

















TENTS STRUCTURE

Solid Wood



Craftsmanship
Surface polishing, anti-corrosion treatment, outdoor weather-resistant wood oil

Advantages
Not easy to deform, not easy to crack, high strength; With proper maintenance, the service life can be as long as more than 20 years

PVDF Architectural Membrane



Craftsmanship
Flame-retardant, mildew-proof, waterproof, anti-ultraviolet

Advantages
Good stability, strong ability to resist ventilation and rotation;
tough impact-resistant, self-cleaning function

Canvas/Cotton Fabric



Craftsmanship
Flame-retardant, mildew-proof, waterproof, anti-ultraviolet

Advantages
Firm, wear-resistant and durable; healthy and pollution-free material; easy to wash and quick to dry; anti-aging

Dense Oxford Cloth



Craftsmanship
Flame-retardant, mildew-proof, waterproof, anti-ultraviolet

Advantages
Strong durability, extremely high tear resistance and density;
good air permeability, light weight

CHARACTERISTICS



Galvanized Steel Pipe

Process
Special outdoor spray-plastic treatment and CO_2 gas shielded welding process.

Advantages
With a 2.0T wall thickness, it is strong and tough, not easy to rust.
It can withstand sun exposure and rain, and has a service life of more than 10 years.



Aluminum Pipe

Process
Cast-rolled forming, with uniform wall thickness.

Advantages
Good stability, light weight, corrosion-resistant, high-temperature resistant, and environmentally recyclable.



Glass Doors and Windows

Process
Heat insulation, sound insulation, and heat preservation.

Advantages
Firm, wear-resistant and durable. It has excellent heat insulation, sound insulation, heat preservation performance and high safety.



Wood Veneer

Craftsmanship
Sound insulation, flame retardancy, mildew resistance, and fire resistance.

Advantages
Strong durability, easy to install, and environmentally friendly without pollution.

Product Qualification Certificate


YUMUQ SPORTS

SGS test reports, ICR conformity verifications, plus ISO & CE certifications - these credentials confirm compliance with international standards, ensuring product quality.





Start Your Glamping Business Here



CONTENTS

SHANDONG YUMUQ
INTEGRATED HOUSE CO., LTD.



YQ9701 Lodge Tent 01-26

YQ9702 Safari Tent 27-146

YQ9703 Luxury Restaurant & Bar 147-178

YQ9704 Luxury Canopy 179-190

YQ9705 Luxury Tipi 191-208

YQ9706 Luxury Shell 209-216

YQ9707 Luxury Sail 217-224


YQ9708 Luxury Carriage 225-232

YQ9710 Stretch Tent 233-238

Contact Us 239-240

KAWAGEBO KAMP

LODGE TENT
YQ970101



YQ970101 Capacity (Guests) 4-6





Main Frame:
76-102mm Galvanized Steel Pipe

Outer Cover:
1050G + 650G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton + 210G Breathable Elastic Fabric.

Solid Wall:
21mm Wood Plastic + 50mm Handcrafted Core Board + 9mm Bamboo Fiber Board

Glass Wall:
Aluminum Alloy 5+9A+5mm Insulating Glass

Platform:
50*100*3mm Frame + 50*100*3mm Keel Panel + Magnesium Board

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
6*12*4.6 m	72 ㎡	67 ㎡	4-6

YQ970101 Capacity (Guests) 2





Main Frame:
76-102mm Galvanized Steel Pipe

Outer Cover:
1050G + 650G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton + 210G Breathable Elastic Fabric.

Solid Wall:
21mm Wood Plastic + 50mm Handcrafted Core Board + 9mm Bamboo Fiber Board

Glass Wall:
Aluminum Alloy 5+9A+5mm Insulating Glass

Platform:
50*100*3mm Frame + 50*100*3mm Keel Panel + Magnesium Board

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
6*9*4.6 m	54 ㎡	50 ㎡	2

KAWAGEBO KAMP

LODGE TENT
YQ970102



YQ970102 Capacity (Guests) 4-6





Main Frame:
100*100*2.5mm Galvanized Steel Pipe

Outer Cover:
1050G + 750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton + 210G Breathable Elastic Fabric

Solid Wall:
21mm Wood Plastic + 50mm Handcrafted Core Board、+ 9mm Bamboo Fiber Board


Glass Wall:
Aluminum Alloy 5+9A+5mm Insulating Glass + 1 Swing Door + 4 Swing Windows

Platform:
40*60*1.8mm+50*100*2.5mm + Magnesium Board

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
17.4*9.3*5.6 m	161 ㎡	71.6 ㎡	4-6




KAWAGEBO KAMP

LODGE TENT YQ970103



YQ970103 Capacity (Guests) 2



Main Frame:
76-88mm Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
300G Eco-friendly Fabric


Wall:
420G Canvas

Glass Wall:
Aluminum Alloy 5+9A+5mm Insulating Glass

Wind Resistance:
80~100km/h


PRODUCT SPECIFICATIONS


Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4.8 m	45 ㎡	35 ㎡	2



KAWAGEBO KAMP

LODGE TENT YQ970104





YQ970104

Capacity (Guests) 2

Main Frame:
80*80*2.75mm Galvanized Steel Pipe

Outer Cover:
1050G + 750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton + 280G Breathable Elastic Fabric


Solid Wall:
21mm Wood Plastic + 50mm Handcrafted Core Board + 9mm Bamboo Fiber Board

Glass Wall:
Aluminum Alloy 5+9A+5mm Insulating Glass

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Inner Area	Capacity (Guests)
7*7*5.24 m	32 ㎡	2



KAWAGEBO KAMP

LODGE TENT
YQ970105



YQ970105

Capacity (Guests) 4





Main Frame:
60*80mm Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-friendly Fabric

Wall:
900D Oxford

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
6*8*4 m	48 ㎡	35 ㎡	4



KAWAGEBO KAMP

RESORT TENT
YQ970107



YQ970107

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Waterproof & Flame-retardant Tensioned Membrane +
240g Aluminum Foil Composite Cotton Cloth + 280g Drapery Fabric

Solid Wall (Partitions Not Included):
Outer Wall: 21mm WPC (Wood-Plastic Composite) Wall Panel;
Middle Layer: 50mm Foam Sandwich Panel;
Inner Wall: 9mm Bamboo-wood Fiber Board

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
83-120mm Galvanized Steel Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
13.5*10*6.2 m	89 ㎡







KAWAGEBO KAMP

RESORT TENT YQ970108



YQ970107

Outer Cover:
950PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Tensioned Membrane +
240g Aluminum Foil Composite Cotton Cloth + 280g Drapery Fabric

Solid Wall (Partitions Not Included):
Outer Wall: 21mm WPC (Wood-Plastic Composite) Wall Panel;
Middle Layer: 50mm Foam Sandwich Panel;
Inner Wall: 9mm Bamboo-wood Fiber Board

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
80*80*3mm Vertical Posts, 50*70*2.5mm Beams & Inclined Beams, 76*2mm Round Pipes

PRODUCT SPECIFICATIONS

Dimension	Area
7*7*6.85 m	49 ㎡













YQ970109

Outer Cover:
1050PVDF Waterproof and Flame-retardant Tensioned Membrane

Inner Cover:
750g Waterproof and Flame-retardant Tensioned Membrane +
240g Aluminum Foil Composite Cotton Cloth + 280g Drapery Fabric

Solid Wall (Partitions Not Included):
Outer Wall: 21mm Wood-Plastic Composite (WPC) Wall Panel;
Middle Layer: 50mm Foam Sandwich Panel;
Inner Wall: 9mm Bamboo-Wood Fiber Board

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
83-120mm Galvanized Steel Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
16*6*6.85 m








KAWAGEBO KAMP

RESORT TENT YQ970110



YQ970110

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Tensioned Membrane + 240g Aluminum Foil Composite Cotton Cloth +
280g Drapery Fabric

Solid Wall (Partitions Not Included):
50mm Lightweight Cement Foam Wall;
15mm Wood Veneer SPC Wall Panel for Outer Wall
(with Color Steel Plate Inside)

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
76-102mm Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
18.3*15.6*5 m	125 ㎡









KAWAGEBO KAMP

RESORT TENT YQ970111



YQ970111

Outer Cover:
950PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Waterproof & Flame-retardant Tensioned Membrane +
240g Aluminum Foil Composite Cotton Cloth + 280g Drapery Fabric

Solid Wall (Partitions Not Included):
50mm Lightweight Cement Foam Wall;
15mm Wood Veneer SPC Wall Panel for Outer Wall (with Color Steel Plate Inside),
Four-sided Wall Structure

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
Steel Frame Structure: 80*80*3mm Vertical Posts, 100*100*3mm Galvanized Steel Pipes

PRODUCT SPECIFICATIONS

Dimension	Area
14.5*5.3*5 m	72.5 ㎡







KAWAGEBO KAMP

RESORT TENT YQ970112



YQ970112

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Tensioned Membrane + 240g Thermal Insulation Liner +
280g Breathable Stretch Fabric


Solid Wall (Partitions Not Included):
Outer Wall: 21mm WPC Wall Panels;
Middle Layer: 50mm Foam Sandwich Panels;
Inner Wall: 9mm Bamboo-wood Fiber Boards

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
80*80*3mm Vertical Posts, 50*70*2.5mm Beams & Inclined Beams, 76*2mm Round Pipes

PRODUCT SPECIFICATIONS

Dimension	Area
6.3*6.3*6 m	39.69 ㎡



KAWAGEBO KAMP

RESORT TENT YQ970113



YQ970113

Outer Cover:
1050PVDF Waterproof and Flame-Retardant Tensioned Membrane

Inner Cover:
750g Waterproof and Flame-Retardant Tensioned Membrane +
240g Cotton Liner + 280g Breathable Stretch Fabric

Solid Wall (Partitions Not Included):
Outer Wall: 21mm WPC Wall Panels;
Middle Layer: 50mm Foam Sandwich Panels;
Inner Wall: 9mm Bamboo-wood Fiber Boards

Glass Wall:
5+9A+5mm Double-layer Insulated Tempered Glass

Main Frame:
Steel Frame Structure: 80*80*3mm Vertical Posts, 50*70*2.5mm Beams & Inclined Beams, 76*2mm Round Pipes

PRODUCT SPECIFICATIONS

Dimension	Area
6.3*10.6*6.5 m	66.91 ㎡







KAWAGEBO KAMP

RESORT TENT
YQ970118



YQ970118

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Inner Cover:
750g Waterproof & Flame-retardant Tensioned Membrane +
240g Cotton Liner + 280g Breathable Stretch Fabric

Solid Wall (Partitions Not Included):
Sandwich Panel +
4-layer Board with 50mm EVA Thermal Insulation Foam Cotton Inside

Glass Wall:
Double-layer Insulated Glass

Main Frame:
Galvanized Steel Pipes: 219mm×5m / 120mm×4mm / 500mm×2mm / 400mm×1.5m

PRODUCT SPECIFICATIONS

Dimension	Area
23*23*10 m	422.5 ㎡







KAWAGEBO KAMP

SAFARI TENT YQ970201-1



YQ970201-1

Capacity (Guests) 4





Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*3.6 m	45 ㎡	31 ㎡	4



KAWAGEBO KAMP

SAFARI TENT YQ970201-2



YQ970201-2 Capacity (Guests) 4





Main Frame:
76mm Diameter, 1.5mm Thickness Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*3.6 m	45 ㎡	31 ㎡	4



KAWAGEBO KAMP

SAFARI TENT YQ970202 LOFT









YQ970202

Capacity (Guests) 5-6

Main Frame:
80mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
88mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4.5 m	45 ㎡	62 ㎡	5-6



KAWAGEBO KAMP

SAFARI TENT
YQ970203-1



YQ970203-1

Capacity (Guests) 4



Main Frame:
80mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant \ Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
88mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9+3.05*4.1*4 m	57.5 ㎡	38.25 ㎡	4



KAWAGEBO KAMP

SAFARI TENT
YQ970203-2



YQ970203-2 Capacity (Guests) 4



Main Frame:
76mm Diameter, 1.5mm Thickness Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant \ Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9+3.05*4.1*4 m	57.5 ㎡	38.25 ㎡	4



KAWAGEBO KAMP

SAFARI TENT YQ970204-1







YQ970204-1

Capacity (Guests) 2

Main Frame:
85mm Glued Solid Wood


Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
900D Oxford

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4 m	45㎡	28.8㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970204-2









YQ970204-2

Capacity (Guests) 2

Main Frame:
85mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
900D Oxford

Wind Resistance:
80km/h

Door:
8mm Glass Door

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4 m	45㎡	28.8㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970205-1







YQ970205-1 Capacity (Guests) 2

Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4 m	45 ㎡	32 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970205-2







YQ970205-2 Capacity (Guests) 2

Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness
Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4 m	45 ㎡	32 ㎡	2



KAWAGEBO KAMP

SAFARI TENT
YQ970206-1



YQ970206-1

Capacity (Guests) 2



Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
4*6*3.66 m	24 ㎡	15.54 ㎡	2



KAWAGEBO KAMP

SAFARI TENT
YQ970206-2



YQ970206-2

Capacity (Guests) 2



Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
4*6*3.66 m	24 ㎡	15.54 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970207 LOFT









YQ970207 Capacity (Guests) 4

Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5.3*6*5.5 m	31.8 ㎡	28.46 ㎡	4



KAWAGEBO KAMP

SAFARI TENT
YQ970208-1



YQ970208-1 Capacity (Guests) 2







Main Frame:
76mm Diameter, 1.5mm Thickness Galvanized Steel Pipe

Outer Cover:
1200D Oxford


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*7*3.6 m	35 ㎡	21.62 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970208-2









YQ970208-2 Capacity (Guests) 2

Main Frame:
76mm Diameter, 1.5mm Thickness Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*3.6 m	45 ㎡	30.82 ㎡	2



KAWAGEBO KAMP

SAFARI TENT
YQ970208-3







YQ970208-3 Capacity (Guests) 2

Main Frame:
76mm Diameter, 1.5mm Thickness
Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant
Architectural Membrane


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness
Galvanized Steel Pipe

Wind Resistance:
80km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*3.6 m	45 ㎡	30.82 ㎡	2



KAWAGEBO KAMP

SAFARI TENT
YQ970209-1







YQ970209-1 Capacity (Guests) 2

Main Frame:
76mm Diameter, 1.5mm Thickness Galvanized Steel Pipe

Outer Cover:
1680D Oxford


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*7*3.6 m	35 ㎡	19.35 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970209-2







YQ970209-2 Capacity (Guests) 2

Main Frame:
76mm Diameter, 1.5mm Thickness
Galvanized Steel Pipe

Outer Cover:
1680D Oxford


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness
Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*3.6 m	45 ㎡	27 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970210-1







YQ970210-1

Capacity (Guests) 2

Main Frame:
75mm Glued Solid Wood

Outer Cover:
600D Oxford + Gauze Curtain


Inner Cover:
900D Oxford

Pipe Connection:
83mm Diameter, 2.0mm Thickness
Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*6*3.8 m	30 ㎡	17.3 ㎡	2



KAWAGEBO KAMP

SAFARI TENT YQ970210-2







YQ970210-2 Capacity (Guests) 2

Main Frame:
75mm Glued Solid Wood

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
300G Eco-Friendly Fabric

Pipe Connection:
83mm Diameter, 2.0mm Thickness Galvanized Steel Pipe

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*6*3.8 m	30㎡	17.3㎡	2



KAWAGEBO KAMP

RESORT TENT
YQ970213



YQ970213

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Inner Cover:
750PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
9*11*4.7 m	99 ㎡



KAWAGEBO KAMP

RESORT TENT YQ970214



YQ970214

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
12.3*9 m















KAWAGEBO KAMP

RESORT TENT YQ970215



YQ970215

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
13*9 m













KAWAGEBO KAMP

RESORT TENT YQ970219



YQ970219

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
17.4*9 m















KAWAGEBO KAMP

RESORT TENT YQ970221



YQ970221

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
31*11 m	321 ㎡













KAWAGEBO KAMP

RESORT TENT
YQ970222



YQ970222

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
30.5*11 m	335.5 ㎡









KAWAGEBO KAMP

RESORT TENT
YQ970223



YQ970223


Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS


Dimension	Area
11.5*11.5 m	132 ㎡











YQ970224

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
22.5*10 m	223 ㎡







KAWAGEBO KAMP

RESORT TENT YQ970225



YQ970225

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
9.5*8.5 m	80 ㎡







KAWAGEBO KAMP

RESORT TENT YQ970226



YQ970226

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
12.8*9.5 m	108.8 ㎡







KAWAGEBO KAMP

RESORT TENT
YQ970227



YQ970227

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
12.8*9.1 m	113㎡










KAWAGEBO KAMP

RESORT TENT YQ970228



YQ970228

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness


PRODUCT SPECIFICATIONS

Dimension
14.5*9 m









KAWAGEBO KAMP

RESORT TENT YQ970229



YQ970229

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane / Eco-friendly Fabric

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension	Area
20.5*11 m	204 ㎡









KAWAGEBO KAMP

RESORT TENT YQ970230



YQ970230

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
33.2*11 m









KAWAGEBO KAMP

RESORT TENT
YQ970231



YQ970231

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness


PRODUCT SPECIFICATIONS

Dimension
13.3*6.7 m










KAWAGEBO KAMP

RESORT TENT YQ970232



YQ970232

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
20.5*11 m









KAWAGEBO KAMP

RESORT TENT YQ970233



YQ970233

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
25.5*11 m









KAWAGEBO KAMP

RESORT TENT YQ970234



YQ970234

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
22*11 m













KAWAGEBO KAMP

RESORT TENT
YQ970235



YQ970235

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
25*11 m









KAWAGEBO KAMP

RESORT TENT
YQ970236



YQ970236

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
15.5*12.5 m









KAWAGEBO KAMP

RESORT TENT
YQ970237



YQ970237

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness


PRODUCT SPECIFICATIONS

Dimension
12.3*9 m









KAWAGEBO KAMP

RESORT TENT
YQ970238



YQ970238

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
17.5*9 m









KAWAGEBO KAMP

RESORT TENT YQ970239



YQ970239

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
22.5*9 m









KAWAGEBO KAMP

RESORT TENT YQ970240



YQ970240

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
10.6*9.5 m









KAWAGEBO KAMP

RESORT TENT
YQ970241



YQ970241

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
8.5*9 m









KAWAGEBO KAMP

RESORT TENT
YQ970242



YQ970242

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness


PRODUCT SPECIFICATIONS

Dimension
9*11 m










KAWAGEBO KAMP

RESORT TENT YQ970243



YQ970243

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
12.5*8 m










KAWAGEBO KAMP

RESORT TENT
YQ970244



YQ970244

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
12.8*9.1 m









KAWAGEBO KAMP

RESORT TENT YQ970245



YQ970245

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
10*7 m









KAWAGEBO KAMP

RESORT TENT
YQ970246



YQ970246

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS


Dimension
13.4*9.4 m











YQ970247

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
10.5*7 m










KAWAGEBO KAMP



YQ970248

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
13.5*7 m









KAWAGEBO KAMP

RESORT TENT
YQ970249



YQ970249

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
12*11 m









KAWAGEBO KAMP

RESORT TENT YQ970250



YQ970250

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
7.5*11.5 m









KAWAGEBO KAMP

RESORT TENT YQ970251



YQ970251

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
9*11 m









KAWAGEBO KAMP

RESORT TENT
YQ970252



YQ970252

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
7.5*11.5 m









KAWAGEBO KAMP

RESORT TENT
YQ970253



YQ970253

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
9.5*8.5 m











YQ970254

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS


Dimension
12.8*6.8 m











YQ970255

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
17.5*10 m









KAWAGEBO KAMP

RESORT TENT YQ970256



YQ970256

Outer Cover:
1050PVDF Waterproof & Flame-retardant Tensioned Membrane

Main Frame:
Galvanized Round Pipe with 2.5mm Wall Thickness

PRODUCT SPECIFICATIONS

Dimension
22*11 m









KAWAGEBO KAMP

RESORT TENT YQ970257




YQ970257

Outer Cover:
750g High-strength Waterproof & Flame-retardant Tensioned Membrane Eco-friendly Fabric

Main Frame:
Steel Structure: 50×70×2.5mm

PRODUCT SPECIFICATIONS

Dimension	Area
9.5*5*4.2 m	47 ㎡







KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970301-1



YQ970301-1 Capacity (Guests) 2-4







Main Frame:
50*50/50*70mm, 1.5mm Thickness
Galvanized Steel Pipe


Outer Cover:
900D Oxford + 0.8mm PVC

Inner Cover:
900D Oxford

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
3.5*5*2.8 m	17.5 ㎡	7.35 ㎡	2-4



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970301-2







YQ970301 Capacity (Guests) 2-4


Main Frame:
40*60*1.8mm Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame Retardant Architectural Membrane + Polycarbonate Sheet + Aluminum Alloy Rear Window

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
3.5*5*2.8 m	17.5 ㎡	7.35 ㎡	2-4



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970302-1









YQ970302-1 Capacity (Guests) 50


Main Frame:
76mm, 2.0mm Thickness Galvanized Steel Pipe

Outer Cover:
1200D Oxford

Wind Resistance:
80km/h


PRODUCT SPECIFICATIONS


Dimension	Floor Area	Capacity (Guests)
8*16*5.2 m	100 ㎡	50



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970302-2







YQ970302-2 Capacity (Guests) 80


Main Frame:
88mm, 2.0mm Thickness Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS


Dimension	Floor Area	Capacity (Guests)
10*20*6.5 m	157 ㎡	80



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970302-3









YQ970302-3 Capacity (Guests) 140


Main Frame:
88mm, 2.0mm Thickness Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
14*24*7.4 m	263 ㎡	140



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970303





YQ970303

Capacity (Guests) 2-4

Main Frame:
75mm Wood

Outer Cover:
900D Oxford + Gauze Curtain

Inner Cover:
900D Oxford

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
4*5*3.5 m	20 ㎡	13.5 ㎡	2-4



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970304





YQ970304 Capacity (Guests) 2-4

Main Frame:
75mm Wood

Outer Cover:
900D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
4*6*3.8 m	24 ㎡	16 ㎡	2-4



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970305









YQ970305

Capacity (Guests) 2-4

Main Frame:
50mm/46mm, 1.2mm Thickness
Galvanized Steel Pipe


Outer Cover:
900D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
60km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
4*6.25*3 m	24 ㎡	13.69 ㎡	2-4



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970306





YQ970306

Capacity (Guests) 2

Main Frame:
48mm/53mm, 1.5mm Thickness
Galvanized Steel Pipe


Outer Cover:
900D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
70km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
3*3*3 m	9㎡	7.3㎡	2



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970307



YQ970307

Capacity (Guests) 2-4



Main Frame:
48mm/53mm, 1.5mm Thickness
Galvanized Steel Pipe


Outer Cover:
900D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
70km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
3*4.5*3 m	13.5 ㎡	7.3 ㎡	2-4




KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970309



YQ970309

Capacity (Guests) 50



Main Frame:
76mm/83mm, 1.5mm/2.0mm Thickness
Galvanized Steel Pipe + Moisture-proof Board

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
900D Oxford

Glass:
0.8mm Tempered Glass

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
6*12+5*5*4.2 m	97 ㎡	90 ㎡	50



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970310-1







YQ970310-1 Capacity (Guests) 30

Main Frame:
76mm/83mm, 1.5mm/2.0mm Thickness Galvanized Steel Pipe + Moisture-proof Boarc


Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
900D Oxford

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS


Dimension	Floor Area	Inner Dimension	Capacity (Guests)
5*12*3.5 m	60 ㎡	53 ㎡	30



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970310-2







YQ970310-2 Capacity (Guests) 50

Main Frame:
76mm/83mm, 1.5mm/2.0mm Thickness Galvanized Steel Pipe + Moisture-proof Board


Outer Cover:
950G PVDF Wawaterproof and Flame-Retardant Architectural Membrane

Inner Cover:
900D Oxford

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
6*18*4.2 m	108 ㎡	98 ㎡	50



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970311-1



YQ970311-1 Capacity (Guests) 50





Main Frame:
76mm/83mm, 1.5mm/2.0mm Thickness
Galvanized Steel Pipe + Moisture-proof Boarc

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
900D Oxford

Glass:
0.8mm Tempered Glass

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
6*18*4.2 m	108 ㎡	98 ㎡	50



KAWAGEBO KAMP

LUXURY RESTAURANT & BAR
YQ970311-2



YQ970311-2 Capacity (Guests) 50





Main Frame:
76mm/83mm, 1.5mm/2.0mm Thickness
Galvanized Steel Pipe + Moisture-proof Board

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
900D Oxford

Glass:
0.8mm Tempered Glass

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Dimension	Capacity (Guests)
6*18*4.2 m	108 ㎡	98 ㎡	50





YQ970314

Outer Cover:
750g Tensioned Membrane

Main Frame:
Bent Pipe 50*70*1.5mm + Bent Pipe 50*50*1.5mm

PRODUCT SPECIFICATIONS

Dimension
5*5*4.5 m







KAWAGEBO KAMP

LUXURY CANOPY YQ970401



YQ970401 Capacity (Guests) 50



Main Frame:
50*70mm Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
9*9*4M	89 ㎡	100-150



Main Frame:
50*70mm Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
12*12*4.9M	113 ㎡	60



KAWAGEBO KAMP

LUXURY CANOPY YQ970402



YQ970402 Capacity (Guests) 10



Main Frame:
48mm/76mm Galvanized Steel Pipe

Wind Resistance:
70km/h

Outer Cover:
1200D Oxford

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
6.4*6.4*3.75M	32 ㎡	10











KAWAGEBO KAMP

LUXURY CANOPY YQ970403



YQ970401

Capacity (Guests) 30




Main Frame:
48mm/76mm Galvanized Steel Pipe

Wind Resistance:
70km/h

Outer Cover:
1200D Oxford

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
9*9*3.8M	64 ㎡	30




Main Frame:
50*70mm Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
12*12*4.6M	113 ㎡	60



PRODUCT MATERIAL

Outer Cover: 950G PVDF Waterproof and Flame-Retardant Architectural Membrane


Main Frame:
50*70mm Galvanized Steel Pipe

KAWAGEBO KAMP

LUXURY CANOPY YQ970404



YQ970404 Capacity (Guests) 30



Main Frame:
50*70mm Galvanized Steel Pipe


Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
12*26*4.6M	229 ㎡	120

PRODUCT MATERIAL




KAWAGEBO KAMP

LUXURY CANOPY YQ970405



YQ970405 Capacity (Guests) 50



Main Frame:
80*100*2.5mm Galvanized Steel Pipe

Wind Resistance:
70km/h

Beam Frame:
50*100*2.5mm Galvanized Steel Pipe


Outer Cover:
Drapery / 950D Oxford

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
13.25*11.45*4.1/7M	64 ㎡	30

KAWAGEBO KAMP

LUXURY CANOPY YQ970407



YQ970407 Capacity (Guests) 100-150




Main Frame:
100*150*3mm+50*100*3mm Galvanized Steel Pipe

Outer Cover:
1050G PVDF Waterproof and Flame-Retardant Architectural Membrane

Wind Resistance:
80-100km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
16*16*10.5M	200㎡	100-150




KAWAGEBO KAMP

LUXURY TIPI
YQ970501



YQ970501

Capacity (Guests) 2







Main Frame:
80mm Glued Solid Wood + 88mm 2.0mm Galvanized Iron Pipe

Outer Cover:
1680D Oxford Inner Cover: 240G Aluminum Foil Cotton

Inner Cover:
240G Cotton + 210G Breathable Elastic Fabric.

Floor Area: 55.3 ㎡
Inner Dimension: 42 ㎡
Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
8.5*6.5*4.6 m	55.3 ㎡	42 ㎡	2



PRODUCT MATERIAL

Outer Cover: 1680D Oxford

Inner Cover: 240G Aluminum Foil Cotton

Main Frame:
80mm Glued Solid Wood + 88mm 2.0mm

KAWAGEBO KAMP

LUXURY TIPI YQ970502



YQ970502 Capacity (Guests) 6-12



Main Frame:
76-88mm, 2mm Galvanized Iron Pipe

Outer Cover:
900D Oxford / 750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Floor Area: 16㎡
Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
4*4*4.9M	16㎡	6-12



Main Frame:
76-88mm, 2mm Galvanized Iron Pipe

Outer Cover:
900D Oxford / 750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Floor Area: 36㎡
Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS


Dimension	Floor Area	Capacity (Guests)
6*6*6.1M	36㎡	12-30

KAWAGEBO KAMP

LUXURY TIPI YQ970504



YQ970504 Capacity (Guests) 30-50



Main Frame:
76-88mm, 2mm Galvanized Iron Pipe


Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Floor Area: 16 ㎡

Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
14*6*6.4M	84 ㎡	30-50



Main Frame:
76-88mm, 2mm Galvanized Iron Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Floor Area: 16 ㎡
Wind Resistance: 80km/h


PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
20*9*9M	180 ㎡	60-100

KAWAGEBO KAMP

LUXURY TIPI YQ970505





YQ970505 Capacity (Guests) 20

Main Frame:
70-83mm, 2mm Galvanized Iron Pipe
75mm Glued Solid Wood

Outer Cover:
450G Cotton Canvas

Floor Area: 53㎡
Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
8.2*8.2*5.8M	53㎡	20-30
Dimension	**Floor Area**	**Capacity (Guests)**
11*11*6.5M	95㎡	30-60
Dimension	**Floor Area**	**Capacity (Guests)**
12.5*12.5*7.4M	123㎡	60-100
Dimension	**Floor Area**	**Capacity (Guests)**
15*15*7.4M	177㎡	100-200



KAWAGEBO KAMP

LUXURY TIPI
YQ970506



YQ970506

Capacity (Guests) 50



8.2M / 11M / 12.5M / 15M
Users can enjoy free choice of product combinations.

Product Display:
8.2*8.2*5.8M / 11*11*6.5M / 12.5*12.5*7.4M
15*15*7.4M


Main Frame:
70-83mm, 2mm Galvanized Iron Pipe
75mm / 80mm / 80-100mm / 80-100mm
Glued Solid Wood

Outer Cover: 450G Cotton Canvas

Wind Resistance: 80km/h
Floor Area: 53㎡ / 95㎡ / 123㎡ / 177㎡

Capacity (Guests): 20-30 / 30-60 / 60-100 / 100-200

PRODUCT MATERIAL



Outer Cover: 450G Cotton Canvas

Main Frame:
75mm Glued Solid Wood


Main Frame:
70-83mm, 2mm Galvanized Iron Pipe


KAWAGEBO KAMP

LUXURY TIPI YQ970507



YQ970507 Capacity (Guests) 20-30







PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
8.2*8.2*5.8M	53 ㎡	20-30

Dimension	Floor Area	Capacity (Guests)
11*11*6.5M	95 ㎡	30-60





Dimension	Floor Area	Capacity (Guests)
12.5*12.5*7.4M	123 ㎡	60-100


Dimension	Floor Area	Capacity (Guests)
15*15*7.4M	177 ㎡	100-200

KAWAGEBO KAMP

LUXURY TIPI YQ970508



YQ970508 Capacity (Guests) 4



Main Frame:
76mm Galvanized Iron Pipe

Outer Cover:
900D Oxford


Dimension:
3.5*3.5*4.8M

Floor Area: 10㎡

Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
3.5*3.5*4.8M	10㎡	4



Main Frame:
76mm Galvanized Iron Pipe

Outer Cover:
900D Oxford

Dimension:
5*5*6.8M

Floor Area: 20㎡

Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
5*5*6.8M	20㎡	8

KAWAGEBO KAMP

LUXURY TIPI YQ970509





YQ970509 Capacity (Guests) 4

Main Frame:
76mm Galvanized Iron Pipe

Outer Cover:
900D Oxford

Dimension:
3.5*3.5*4.8M

Floor Area: 10㎡

Wind Resistance: 80km/h





PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
6*6*4M	10㎡	4



PRODUCT MATERIAL

Outer Cover: 900D Oxford /
750G PVDF Waterproof and Flame
-Retardant Architectural Membrane


Main Frame:
76mm Galvanized Iron Pipe

KAWAGEBO KAMP

LUXURY TIPI YQ970510



YQ970510 Capacity (Guests) 4



Main Frame:
48mm+76mm Galvanized Iron Pipe


Outer Cover:
900D Oxford / 750G PVDF
Waterproof and Flame-Retardant
Architectural Membrane

Barrier Fabric: 8mm PVC

Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
6*6*4M	16 ㎡	4



PRODUCT MATERIAL


Outer Cover: 900D Oxford
750G PVDF Waterproof and Flame-Retardant
Architectural Membrane

Barrier Fabric: 8mm PVC

Main Frame:
48mm+76mm Galvanized Iron Pipe

KAWAGEBO KAMP

LUXURY SHELL
YQ970601



YQ970601 Capacity (Guests) 2







Main Frame:
48mm+76mm Galvanized Iron Pipe


Outer Cover:
900D Oxford / 750G PVDF
Waterproof and Flame-Retardant
Architectural Membrane

Barrier Fabric: 8mm PVC

Wind Resistance: 80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
5.7*11.5*4.28M	65.6 ㎡	2



PRODUCT MATERIAL

Outer Cover: 750G PVDF Waterproof and
Flame-Retardant Architectural Membrane

Inner Cover: 240G Cotton + 280G Elastic Fabric

Main Frame:
76mm 2.0mm Thickness Galvanized Steel Pipe


Door:
Broken Bridge Aluminum 5+9A+5mm Insulated Glass

KAWAGEBO KAMP

LUXURY SHELL YQ970602



YQ970602 Capacity (Guests) 2





Main Frame:
50x70mm 2.0mm Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton + 280G Elastic Fabric

Door: 8mm Tempered Glass

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
6*7.15*3.4M	43 ㎡	2

PRODUCT MATERIAL



Outer Cover: 750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover: 240G Cotton + 280G Elastic Fabric

Main Frame:
50x70mm 2.0mm Galvanized Steel Pipe

Door:
8mm Tempered Glass

KAWAGEBO KAMP

LUXURY SHELL YQ970603





YQ970603 Capacity (Guests) 2

Main Frame:
54mm 2.0mm Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
240G Cotton

Platform: 40*60mm Galvanized Steel Pipe + Preservative-Treated Wood

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area:	Capacity (Guests)
4.5*4.5*3.98M	15.9㎡	24.6㎡	2




KAWAGEBO KAMP

LUXURY SHELL YQ970604



YQ970604 Capacity (Guests) 2





Main Frame:
40*60mm Thickness Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane


Inner Cover:
240G Cotton + 280G Elastic Fabric

Door: Broken Bridge Aluminum 5+20A+5mm Insulated Glass

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
7.6*8*3.5M	52 ㎡	2



PRODUCT MATERIAL

Outer Cover: 950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover: 240G Cotton + 280G Elastic Fabric

Main Frame:
40*60mm Thickness Galvanized Steel Pipe

Door:
Broken Bridge Aluminum 5+20A+5mm Insulated Glass

KAWAGEBO KAMP

LUXURY SAIL YQ970701



YQ90701

Capacity (Guests) 2



Main Frame:
76mm 2.0mm Thickness Galvanized Steel Pipe

Outer Cover:
1200D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*7*4.1M	35 ㎡	22.5 ㎡	2



Main Frame:
76mm 2.0mm Thickness Galvanized Steel Pipe

Outer Cover:
750G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
300G Eco-Friendly Fabric

Wind Resistance:
80~100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4.1M	45 ㎡	30 ㎡	2

KAWAGEBO KAMP

LUXURY SAIL
YQ970702





YQ90702

Capacity (Guests) 2

Main Frame:
48mm 1/5mm Thickness
Galvanized Steel Pipe


Outer Cover:
900D Oxford

Inner Cover:
900D Oxford

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
4*5.6*3.8M	22.4 ㎡	13.7 ㎡	2



PRODUCT MATERIAL


Outer Cover: 900D Oxford

Main Frame:
48mm 1.5mm Thickness
Galvanized Steel Pipe

Inner Cover: 900D Oxford

KAWAGEBO KAMP

LUXURY SAIL YQ970703



YQ90703

Capacity (Guests) 2



Main Frame:
50*70mm Thickness Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
240G Cotton


Door:
Glass Door

Wind Resistance:
80km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
9.65*6.1*4M	58.9 ㎡	51.6 ㎡	2

PRODUCT MATERIAL



Outer Cover: 950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Main Frame:
50*70mm Thickness Galvanized Steel Pipe

Glass Door


Inner Cover: 240G Cotton

KAWAGEBO KAMP

LUXURY SAIL YQ970704 LOFT



YQ970704 Capacity (Guests) 2



Main Frame:
79mm 2mm Thickness Galvanized Steel Pipe

Outer Cover:
950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover:
300G Eco-Friendly Fabric

Door:
8mm Tempered Glass

Platform:
100*100*2mm+50*70*2mm Galvanized Steel Pipe

Loft Platform:
18mm Solid Wood Multi-layer Board

Wind Resistance:
80-100km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5*9*4.5M	45 ㎡	27.9 ㎡	2



PRODUCT MATERIAL

Outer Cover: 950G PVDF Waterproof and Flame-Retardant Architectural Membrane

Inner Cover: 300G Eco-Friendly Fabric

Main Frame:
79mm 2mm Thickness Galvanized Steel Pipe


Platform:
100*100*2mm+50*70*2mm Galvanized Steel Pipe

Loft Platform:
18mm Solid Wood Multi-layer Board

Door:
8mm Tempered Glass

KAWAGEBO KAMP

LUXURY CARRIAGE YQ970801



YQ970801 Capacity (Guests) 2



Main Frame:
30mm + 50*50mm Galvanized Steel Pipe

Wall:
Oriented Strand Board + Aluminium Alloy + High-Transparency Acrylic


Outer Cover:
900D Oxford.

Wind Resistance:
70km/h

Platform:
Steel Pipe + Larix Gmelinii + Wheel

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5.72*2.8*3.8M	16 ㎡	11 ㎡	2



PRODUCT MATERIAL

Outer Cover: 900D Oxford

Wall: Oriented Strand Board + Aluminium Alloy + High-Transparency Acrylic

Main Frame:
30mm + 50*50mm Galvanized Steel Pipe


Platform::
Steel Pipe + Larix Gmelinii + Wheel

KAWAGEBO KAMP

LUXURY CARRIAGE YQ970802



YQ970802 Capacity (Guests) 2



Main Frame:
30mm + 50*50mm Galvanized Steel Pipe

Wall:
Oriented Strand Board + Aluminium Alloy
High-Transparency Acrylic

Outer Cover:
300G Eco-friendly Fabric


Wind Resistance:
70km/h

Platform:
Steel Pipe + Larix Gmelinii + Wheel

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5.72*2.8*3.8M	16 ㎡	11 ㎡	2

PRODUCT MATERIAL



Outer Cover: 900D Oxford

Wall: Oriented Strand Board + Aluminium Alloy
+ High-Transparency Acrylic

Outer Cover: 300G Eco-friendly Fabric

Platform:
Steel Pipe + Larix Gmelinii + Wheel

KAWAGEBO KAMP

LUXURY CARRIAGE YQ970803





YQ970803 Capacity (Guests) 2

Main Frame:
30mm + 50*50mm Galvanized Steel Pipe


Wall:
Oriented Strand Board + Aluminium Alloy
High-Transparency Acrylic

Outer Cover:
300G Eco-friendly Fabric

Wind Resistance:
70km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Capacity (Guests)
2.8*4*3.2M	11㎡	2



PRODUCT MATERIAL

Outer Cover: 300G Eco-friendly Fabric

Wall: Oriented Strand Board + Aluminium Alloy
+ High-Transparency Acrylic

Main Frame:
30mm + 50*50mm Galvanized Steel Pipe

Platform:Steel Pipe + Larix Gmelinii + Wheel

KAWAGEBO KAMP

LUXURY CARRIAGE YQ970804



YQ970804 Capacity (Guests) 2



Main Frame:
30mm + 50*50mm Galvanized Steel Pipe

Wall:
Oriented Strand Board + Aluminium Alloy
High-Transparency Acrylic


Outer Cover:
300G Eco-friendly Fabric

Wind Resistance:
70km/h

PRODUCT SPECIFICATIONS

Dimension	Floor Area	Inner Area	Capacity (Guests)
5.72*2.8*3.8M	16 ㎡	11 ㎡	2

PRODUCT MATERIAL




KAWAGEBO KAMP


STRETCH TENT YQ9710



STRETCH TENT SHAPE



STRETCH TENT STYLE



STRETCH TENT DIMENSION

SEATED EVENTS (Wedding Style)

2.4 m² per person

Setup: 14 seated at per round standing tables, around cocktail tables and a dance floor.

STANDING EVENTS (CONFERENCE OR COCKTAIL STYLE)

1.4 m² per person

Setup: Around cocktail tables, with room for catering and a presentation area.

CINEMA-STYLE SEATING

1 m² per person

Setup: Rows of chairs, with space for catering and a presentation area.

Size(m)	Seated	Cocktail Standing	Cinema Style	Square(m²)	Weight(kg)	Package(cm)
4.5 x 4.5	8	14	20	20.25	15	50 x 50 x 100
4.5 x 6	11	18	27	27	20	50 x 50 x 100
4.5 x 7.5	14	23	34	33.75	25	50 x 50 x 100
4.5 x 9	16	27	41	40.5	30	50 x 50 x 100
4.5 x 10.5	19	32	47	47.25	35	50 x 50 x 100
6 x 6	14	24	36	36	27	50 x 50 x 100
6 x 7.5	18	30	45	45	34	50 x 50 x 100
6 x 9	22	36	54	54	41	50 x 50 x 100
6 x 10.5	25	42	63	63	47	50 x 75 x 100
6 x12	29	48	72	72	54	50 x 75 x 100
6 x 13.5	32	54	81	81	61	50 x 75 x 100
6 x 15	36	60	90	90	68	50 x 75 x 100
7.5 x 7.5	12	38	56	56.25	42	50 x 50 x 100
7.5 x 9	27	45	68	67.5	51	50 x 75 x 100
7.5 x 10.5	32	53	79	78.75	59	50 x 75 x 100
7.5 x 12	36	60	90	90	68	50 x 75 x 100
7.5 x 13.5	41	68	101	101.25	76	50 x 75 x 100
7.5 x 15	45	75	113	112.5	84	50 x 75 x 100
9 x 9	32	54	81	81	61	50 x 75 x 100
9 x 10.5	38	63	95	94.5	71	50 x 75 x 100
9 x 12	43	72	108	108	81	50 x 75 x 100
9 x 13.5	49	81	122	121.5	91	50 x 75 x 150
9 x 15	54	90	135	135	101	50 x 75 x 150

Size(m)	Seated	Cocktail Standing	Cinema Style	Square(m²)	Weight(kg)	Package(cm)
10.5 x 10.5	44	74	110	110.25	83	100 x 75 x 100
10.5 x 12	50	84	126	126	95	50 x 75 x 150
10.5 x 13.5	57	95	142	141.75	106	50 x 75 x 150
10.5 x 15	63	105	158	157.5	118	50 x 75 x 150
10.5 x 16.5	69	116	173	173.25	130	50 x 75 x 150
10.5 x 18	76	126	189	189	142	50 x 75 x 150
10.5 x 19.5	82	137	205	204.75	154	50 x 75 x 150
10.5 x 21	88	147	221	220.5	165	50 x 75 x 150
12 x 12	58	96	144	144	108	50 x 75 x 150
12 x 13.5	65	108	162	162	122	50 x 75 x 150
12 x 15	72	120	180	180	135	50 x 75 x 150
12 x 16.5	79	132	198	198	149	50 x 75 x 150
12 x 18	86	144	216	216	162	50 x 75 x 150
12 x 19.5	94	156	234	234	176	75 x 100 x 150
12 x 21	101	168	252	252	189	75 x 100 x 150
15 x 15	90	150	225	252	189	50 x 75 x 150
15 x 16.5	99	165	248	247.5	186	75 x 100 x 150
15 x 18	108	180	270	270	203	75 x 100 x 150
15 x 19.5	117	195	293	292.5	219	75 x 100 x 150
15 x 21	126	210	315	315	236	75 x 100 x 150
15 x 22.5	135	225	338	337.5	253	75 x 100 x 150
18 x 18	130	216	324	324	243	75 x 100 x 150
18 x 19.5	140	234	351	351	263	75 x 100 x 150
18 x 21	151	252	378	378	284	75 x 100 x 150
18 x 22.5	162	270	405	405	304	75 x 100 x 150
21 x 21	176	294	441	441	331	75 x 100 x 150
21 x 22.5	189	315	473	472.5	354	75 x 100 x 150
21 x 24	202	336	504	504	378	75 x 100 x 150
21 x 25.5	214	357	536	535.5	402	75 x 100 x 150
21 x 27	227	378	567	567	425	75 x 100 x 150
21 x 28.5	239	399	599	598.5	449	75 x 100 x 150
21 x 30	252	420	630	630	473	75 x 100 x 150

FABRIC & ACCESSORIES SPEC





660gsm / 470gsm Strech Tent Fabric With PVC & PU Double Coating

Waterproof Rating > 15000mm

Color Fastness > Level 4

Oil-resistant / Stain-resistant / Antibacterial & mildew-proof

Flame-retardant CPAI 84

Outdoor Durability 3-5 Years

Aluminum Pole	Connection Pole	Plug	Big Peg	Medium Peg
				

Carabiner	Steel Base	Guyline	Package Bag	Nut Eye Bolt
				

OUR PROJECTS
















CONTACT US

Co-Founder

Ms. Helen Weng

Tel: +86 631 5920625

Cell: +86 18669384745(Whatsapp/Wechat)

Skype: YumuQ Sports Helen

Email: Helen@ourhappyhealthyfamily.com

Founder & CEO

Mr. Eric Zhang

Tel: +86 631 5920625

Cell: +86 18663102505(Whatsapp/Wechat)

Skype: YumuQ Sports

Email: Sales@ourhappyhealthyfamily.com

Head Office

Shandong YumuQ Integrated House Co., Ltd.
#106 Qingdao Middle Road, Weihai, China 264205

YumuQ Group | Outdoor Camping | Outdoor Game/Sports

Store Online

www.ourhappyhealthyfamily.com (YumuQ Group)

www.campground.en.alibaba.com (Campground)

www.ourhappyhealthyfamily.en.alibaba.com (Outdoor Camping)

www.yumuqgamesports.en.alibaba.com (Outdoor Game/Sports)